## O.M.B. No 3067-00 Expires May 31, 199

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMA). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION			. F				
Repetitive Bay Condominium Association, Inc.   Company Mail Suits ander Bay, Number OR PC ROUTE AND BOX NUMBER   COMPANY MAIL NUMB	/	SECTION A PRO	OPERTY INFO	RMATION		FCR INSURANCE COMPANY USE	
THEST ADDRESS (Including Act. Unit, Suite ander Bigs, Number) OR 2.O. ROUTE AND BOX NUMBER    COMPANY NAIGNAMBER   COMPANY NAIGNAMBER	BUILDING OWNER'S NAME Peppertree Bay Condominium Association, Inc.					PCLICY NUMBER	
Sesta Key   SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	TREET ADDRESS (Including Ac	t., Unit, Suite and/or Sldg. N				COMPANY NAIC NUMBER	
Stesta Key  SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION  ovide the following from the proper FIRM (See Instructions):  1. COMMUNITY NUMBER 1. PANEL NUMBER 2. PANEL NUMBER 1. SUFFIX 9/3/92 1. PANEL NUMBER 1. SUFFIX 9/3/92	THER DESCRIPTION (Lot and S	Block Numbers, etc.)	-E DRIV	F			
SECTION 3 FLOOD INSURANCE RATE MAP (FIRM) INFORMATION  ovide the following from the proper FIRM (See Instructions):  1. COMMUNITY NUMBER  1. PANEL NUMBER  1. SUFFIX  1. DATE OF FIRM INDEX  3. FIRM ZONE  4. VZ  1. VI  Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): WOVD '29 Other (describe on back For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:   I let NGVD (or other FIRM datum—see Section B, Item 7).  SECTION C BUILDING ELEVATION INFORMATION  Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level   Z    3. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of   I   I	ITY	PLPICKIKE					
Discrete the following from the proper FIRM (See Instructions):  1. CCMMUNITY NUMBER 1. 2. PANEL NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM NIDEX 3. FIRM ZONE 4. VZ 4. VZ 4. VZ 4. VZ 4. VZ 4. VZ 5. FIRM ZONE 6. BASE FLOOD ELSWATION (FIRM ZONE). Where no BFE is provided on the FIRM for Base Flood Elevations (BFE): NICVO 29 Other (describe on back For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:	Siesta Key		000 NCUDA	NOT DATE MAD (EIDM)			
125144 0143 D 9/3/92 A VZ 16. G. ANSE FLOOD ELEVATION (In AD Zomes, uses depth) 125144 0143 D 9/3/92 A VZ 17. SIRM ZONE 1. G. ANSE FLOOD ELEVATION (In AD Zomes, uses depth) 125144 0143 D 9/3/92 A VZ 18. NOV D 29 Other (describe on backfor Zones A or V, where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				TNCE HATE WAP (FIRM)	IN ONWATION	*	
Indicate the elevation datum system used on the FIRM for Base Flood Elevations (SEE): ☑ NGVD '29 ☑ Other (describe on back For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: ☐ feet NGVD (or other FIRM datum—see Section S, Item 7).  SECTION C BUILDING ELEVATION INFORMATION  Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 7	ovide the following from t	he proper FIRM (See	Instructions):				
Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:	1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUF=IX	4, DATE OF FIRM INDEX		(in AO Zones, use depth)	
For Zones A or V, where no BFE is provided on the FIRM, and the community has established a bFE for this boilding site, included the community's BFE:		!		<u> </u>			
Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 7.  [a]. FIRM Zones A1 -A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	For Zones A or V, where	no BFE is provided o	n the FIRM, ar	nd the community has est	aplished a Brt	for this building site, indicate	
describes the subject building's reference level /		SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION		
The reference level elevation is based on:   actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)  The elevation of the lowest grade immediately adjacent to the building is:	the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account and comments on Pagethe FIRM [see Section equation under Comments.]	is at an elevation of L. BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the community turn system used in dige 2). (NOTE: If the B. Item 7], then converts on Page 2.)	d as the refere diacent to the barence level from ing. If no flood munity's floodp etermining the elevation daturent the elevation	feet NGVD (or other FIF nce level from the selected building.  In the selected diagram is didepth number is availabilatin management ordinar above reference level eleminated in measuring the tens to the datum system of	RM datum—see Set diagram is Line feet le, is the building levations: No elevations is diffused on the FIRI	Section B, Item 7).  I feet above or  above or below (check g's lowest floor (reference) No Unknown  SVD '29 Other (describe ferent than that used on	
Section B, Item 7).  SECTION D COMMUNITY INFORMATION  If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:	i. The reference level elevi (NOTE: Use of construc- case this certificate will only will be required once con-	ation is based on: xetion drawings is only only be valid for the bustruction is complete.	actual constrivation if the build if the build if the build ill ill ill ill ill ill ill ill ill	uction () construction of ding does not yet have the course of construction.	Irawings le reference leve A post-constru	com Elevation Communic	
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: [	i. The elevation of the low	est grade immediately	adjacent to th	ne building is:           5	l 0 feet NGVI	D (or other FIRM datum-see	
is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building a lowest floor" as defined by the ordinance is: [		S	ECTION D C	OMMUNITY INFORMAT	ON		
	is not the "lowest floor" a	as defined in the comordinance is:	munity's floodp	ngvD (or other FIRM da	nce, the elevant	of the building a lowest	


printing for reproductive purpose may be unsatistactory RECORDER'S MEMO: Legibility of writing, typing, or


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. Lunderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)		
John R. Gargis	2324		
TITLE	COMPANY NAME		
Professional Surveyor & Mapper	Dufresne-Henry, Inc.		
ADDRESS 5	CITY	STATE	ZIP
630 Woodbury Drive	Port Charlotte	FL	33954
SIGNATURE HTTV / No. 21		PHONE	(07 00()
flower lower	05/24/96	(941)	627-3366
COMMENTS:	ry, Inc. Project No.: 9558098.01		
2) Field Book: 4	50 Page: 59-62		*
3) This Elevatio	on Certificate is not valid witho	ut the orig	inal
signature and	i embossed seal of the signing su	rveyor.	***





The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.