O.M.B. No 3067-00 Expires May 31, 199

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

97062890

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOME).

,	Instructions for cor	npleting this t	form can be found on the	ne following pag	ges.	
SECTION A PROPERTY INFORMATION FOR INC.					FOR INSURANCE COMPANY USE	80
BUILDING OWNER'S NAME Peppertree Bay (PCLICY NUMBER	BOOK			
STREET ADDRESS (Including Ap	t., Unit, Suite and/or Bldg. N				COMPANY NAIC NUMBER	2976
OTHER DESCRIPTION (Lot and S	Block Numbers, etc.)	REE DA	RNE			Ì
CITY Siesta Key				STATE Florida	ZIP CODE 34242	PAGE
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):				2834
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATIO (in AO Zones, use depth)	×.
125144	0143	D	9/3/92	AJZ	S W L	
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, ar IGVD (or other	rid the community has est FIRM datum—see Section	ablished a BFE I	for this building site, indicate	
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION		
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The lone) the highest grade level) elevated in according a level) elevated in according a long the FIRM [see Section equation under Comments on Page the FIRM [see Section equation under Comments]. The reference level elevation reference marks. The reference level elevation case this certificate will owill be required once continued. 	is at an elevation of BFE). The floor used the highest grade as floor used as the reference adjacent to the build ordance with the commutum system used in dige 2). (NOTE: If the B, Item 7], then convents on Page 2.) It is used appears on Floor at the struction is based on: It is a struction is complete.	The bottom of the bottom of the level from the bottom of t	of the lowest horizontal state of feet NGVD (or other FIF nee level from the selected building. In the selected diagram is a depth number is available lain management ordinary above reference level elements to the datum system of the datum system of the datum system of the datum system of the course of construction.	and datum—see S and diagram is feet a le, is the building loce? Yes evations: X NG elevations is difference on the FIRM on Page 4) Irawings he reference leve A post-construction	above or below (checg's lowest floor (reference) No Unknown VD '29 Other (describe erent than that used on and show the conversion)	
Section b. Rem 7).		FOTION D. O	OMMUNITY INFORMATI	ON		
					indicated in Section C. Item	1
ic not the "lowest floor" :	as defined in the compordinance is: LIL	munity's floodp	nanagement ordinal NGVD (or other FIRM da	ice, the elevation	indicated in Section C, Item n of the building's "lowest n B, Item 7).	•

FEMA Form 81-31, MAY 90

RECORDER'S MEMO: Legibility of writing, typing, of

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
John R. Gargis	2324					
rme ()	COMPANY NAME					
Professional Surveyor & Mapper	Dufresne-Henry, Inc.					
ADDRESS	CITY	STATE	ZIP			
630 Woodbury Drive	Port Charlotte	FL	33954			
SIGNATURE AND LANG.	DATE PHONE					
(DUM) THURS	05/24/96	(941)	627-3366			
COMMENTS:		• •	•			
1) Dufresne-Henr	7, Inc. Project No.: 9558098.01					
2) Field Book: 45	0 Page: 59-62					
3) This Elevation	Certificate is not valid without the	e origi	inal			
to the standard and standard and	embossed seal of the signing surveyor	r. ·				

"Finished Floor" Elevation = 12.6



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.