ELEVATION CERTIFICATE

10.50

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

97062937

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOME).

Instructions for completing this form can be found on the following pages.

						_
•	SECTION A PRO	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE	BC
BUILDING OWNER'S NAME Peppertree Bay (Condominium Ass	ociation,	Inc.		POLICY NUMBER	BOOK
STREET ACCIDESS (Including Accident Page 6056 Midnight Page 6056 Midni		Number) OR P.O. F	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER	2976
OTHER DESCRIPTION (Lot and S		WAY				0.
CITY Siesta Key	LIPATION	w/()		STATE Florida	ZIP CODE 34242	PAG
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		[T]
Provide the following from the	ne proper FIRM (See	Instructions):				292
1. COMMUNITY NUMBER			5. BASE FLOOD ELEVATION (in AO Zones, use depth)	8		
125144	0143	D	9/3/92	AIZ	(In AO Zones, usa depth)	
7. Indicate the elevation data 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, ar	ase Flood Elevations (BFE nd the community has est FIRM datum-see Section	ablished a BFE I	Other (describe on bactor this building site, indicate	k)
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION	y 2	
the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in account and comments on Page 1990.	AE, AH, and A (with BE) to NGVD (or other FIFVE, and V (with BFE) is at an elevation of Liberary and action of Liberary and as the reference of the highest grade action used as the reference with the commum system used in decay. (NOTE: If the early the early than converts on Page 2.)	BFE). The top M datum—see The bottom of I ! ! d as the reference level from ing. If no flood nunity's floodple etermining the elevation datur and the elevation	Section B, Item 7). of the lowest horizontal standard in the selected diagram is a depth number is available lain management ordinant above reference level elements to the datum system united the latest and the datum system united the latest and	uctural member M datum-see S d diagram is e, is the building ce? Yes vations: X NG elevations is difference on the FIRM	of the reference level from Section B, Item 7). Light feet above or	:k
5. The reference level eleval (NOTE: Use of construc- case this certificate will or will be required once cons	ution is based on: xition drawings is only only be valid for the bustruction is complete.	actual constru valid if the buil ilding during th)	uction Construction diding does not yet have the course of construction.	rawings e reference leve A post-construc	CHOIT Elevation Gertineate	
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to th	e building is: <u>)</u>	LU feet NGVD	or other FIHM datum-see	
	S	ECTION D C	OMMUNITY INFORMATI	ИС		
is not the "lowest floor" a	s defined in the commodinance is: [nunity's floodp feet	ilain management ordinar NGVD (or other FIRM dal	ce, the elevation um-see Section	indicated in Section C, Item n of the building's "lowest n B, Item 7).	1


RECORDER'S MEMO: Legibility of writing, typing, or arining for reproductive purpose may be unsatistactory in this document when received

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections 8 and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
	is,	2324				
TITLE ADDITION		COMPANY NAME				
	Surveyor & Mapper	Dufresne-Henry, Inc.				
ADDRESS /		CITY	STATE	ZIP		
630 Woodbury	Drive //	Port Charlotte	FL	33954		
SIGNATURE /	Ub. :		PHONE			
(II) M	M I MUCO	05/24/96	(941)	627-3366		
COMMENTS:	1) Dufresne-Henr	ry, Inc. Project No.: 9558098.01				
	2) Field Book: 4			1		
	3) This Elevatio	on Certificate is not valid witho	out the orig	inal		
* 1,2 % \$ 2,4 °	signature and	i embossed seal of the signing su	rveyor.			
		oor" Elevation = 8.5	S. C.	S		



The diagrams above illustrate the points at which the alevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.