FEMA Form 81-31, MAY 90

ELEVATION CERTIFICATE

O.M.B. No 3067-01 Expires May 31, 15 97062879

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMA). Instructions for completing this form can be found on the following pages.


					-
	SECTION A PR	OPERTY INFO	RMATION		FCR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Peppertree Bay					PCUCY NUMBER
STREET ADDRESS (Including Ac 6056 Midnight Pa		Number) OR P.O. R	CUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and 6047 EAST		E WAY			
CITY Siesta Key				STATE Florida	
***************************************	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4, DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125144	0143	D	9/3/92	AIZ	S NA
8. For Zones A or V. where	no BFE is provided o	n the FIRM, an	se Flood Elevations (BF) d the community has est FIRM datum-see Section	ablished a BFE	Other (describe on back for this building site, indicate
	SECTIO	ON C BUILDII	NG ELEVATION INFORM	MATION	
of 1 1 6 3 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in acco 3. Indicate the elevation da under Comments on Page the FIRM [see Section equation under Comments 4. Elevation reference marks 5. The reference level elevation of the required once con 6. The elevation of the lower	et NGVD (or other FIFVE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the computure system used in dige 2). (NOTE: If the B, Item 7], then converts on Page 2.) It used appears on FIFT the interest of the system of the struction is based on: X attended to the bustruction is complete.	AM datum—see The bottom of the brence level from ing. If no flood nunity's floodpletermining the elevation datument the elevation datument the elevation datument the bottom of the bott	Section B, Item 7). If the lowest horizontal stated NGVD (or other FIFuce level from the selected uilding. In the selected diagram is depth number is availabeain management ordinant above reference level element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in measuring the element of the datum system used in the selected diagram is depth and	ructural membe AM datum—see S d diagram is feet le, is the buildince? Yes evations: X No elevations is diff sed on the FIRM In Page 4) rawings e reference leve A post-constru	above or below (check g's lowest floor (reference) No Unknown GVD '29 Other (describe ferent than that used on M and show the conversion
Section B, Item 7).	,	-			A CONTRACTOR OF THE STATE OF TH
			MMUNITY INFORMATI		
is not the "lowest floor" a	as defined in the commordinance is: LII	munity's floodpl	ain management ordinar IGVD (or other FIRM dat	ice, the elevatio um-see Section	indicated in Section C, Item 1 n of the building's "lowest n B, Item 7).
FFMA Form 81-31, MAY 90		REPLACE	S ALL PREVIOUS EDITIONS	SE	E REVERSE SIDE FOR CONTINUAT


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Se	al)		
John R. Gargis	2324			
TITLE 1870 AND TO THE TOTAL PROPERTY OF THE PR	COMPANY NAME			
Professional Surveyor & Mapper	Dufresne-Henry, Inc.			
ODRESSC / A SO	CITY		STATE	ZIP
630 Woodbary/Drive	Port Charlotte		FL	33954
IGNATURE WILL ALL	DATE	PHCNE		
E MAN I XWED	05/24/96		(941)	627-3366
Copies should be made of this Certificate for: 1) co	ommunity official, 2) insurance agent/co	mpany, and	3) buildir	ng owner.
272723200	ommunity official, 2) insurance agent/co	mpany, and	3) buildir	ng owner.
COMMENTS:	ommunity official, 2) insurance agent/co			ng owner.
COMMENTS:	y, Inc. Project No.: 9558098.			ng owner.





signature and embossed seal of the signing surveyor

The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

14.70

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.